U.S.S.N. 10/645,816 Cantor *et al.* PRELIMINARY AMENDMENT

Amendm nts to the Claims:

This listing of claims will replace all prior versions and listings of the claims in the application.

Claim 1 (original) A method for identifying nucleotides at one or more base positions in a plurality of target nucleic acids molecules, comprising:

synthesizing extension products of the target nucleic acid in the presence of chain terminating nucleotides and mass-matched nucleotides;

determining the mass of each extension product; and calculating a mass shift from a period for the mass of each extension product,

whereby the nucleotides in the target nucleic acid molecules are identified by determining the nucleotide that corresponds to each mass shift.

Claim 2 (original) The method of claim 1, wherein the mass-matched deoxynucleotides are identical.

Claim 3 (original) The method of claim 1, wherein a mass-matched deoxy-nucleotide is deoxyinosine, 5-nitroindole, 3-nitropyrrole, 3-methyl 7-propynyl isocarbostyril, 5-methyl isocarbostyril or 3-methyl isocarbostyril.

Claim 4 (original) A kit for determining the sequence of a target nucleic acid, comprising mass-matched nucleotides.

Claim 5 (original) A kit for determining the sequence of a target nucleic acid, comprising pair-matched nucleotides and mass-matched chain terminating nucleotides.

Claim 6 (original) A kit for determining the sequence of a target nucleic acid, comprising pair-matched nucleotides and chain terminating nucleotides that form base pairs of distinct molecular weight, and optionally including instructions for sequencing using these reagents.

Claim 7 (original) A kit for determining the sequence of a target nucleic acid, comprising pair-matched nucleotides and mass-labeled primers, and optionally including instructions for sequencing using these reagents.

U.S.S.N. 10/645,816 Cantor *et al.* PRELIMINARY AMENDMENT

Claim 8 (original) A computer-based method for identifying nucleotide or nucleotides at one or more base positions in a target nucleic acid molecule or plurality thereof, comprising:

- a) entering a computer, a primer sequence or primer mass, a mass of an individual mass-matched deoxyonucleotide and the identify of chain terminators used;
- b) entering the masses of the fragments generated by a primer extension reaction, wherein the primer is extended by mass-matched deoxynucleotides;
 - c) determining Pbase, wherein Pbase is the base periodicity in daltons;
 - d) calculating Mdiff[n] for each nucleotide base to be identified, wherein:

$$\begin{split} &M_{diff}[n] \,=\, M_{obs}[n] \, \cdot \, M_{PR}[n]; \\ &M_{PR}[n] \,=\, (M_{primer} \,+\, M_{light}) \,+\, (n \,-\, 1) \,\, P_{base}; \\ &M_{obs}[n] \,\, is \,\, the \,\, observed \,\, peak; \\ &where: \end{split}$$

n is the base position;

Mpr[n] is the nth periodic reference mass;

M_{primer} is the mass of the primer;

Mlight is the mass of the lightest nucleotide terminator; and

e) determining the identity of a nucleotide at any base position or the positional mass difference by determining Mdiff[n] and comparing it to a database of previously calculated values of Mdiff for each of the chain terminating nucleotides.

Claim 9 (currently amended) A system for high throughput analysis of nucleic acid samples, comprising:

a processing station that performs a chain extension reaction, in the presence of mass-matched nucleic nucleotides, on a nucleic acid sample in a reaction mixture:

U.S.S.N. 10/645,816 Cantor *et al.* PRELIMINARY AMENDMENT

a robotic system that transports the resulting products from the processing station to a mass measuring station, wherein the masses of the products of the reaction are determined; and

a data analysis system that processes the data from the mass measuring station and that is programmed to perform the method of claim 46 8 to identify a nucleotide or nucleotides at one or more base positions in nucleic acid molecule in the sample.

Claim 10 (currently amended) The system of claim 10 9, further comprising a control system that determines when processing at each station is complete and, in response, moves the sample to the next test station, and continuously processes samples one after another until the control system receives a stop instruction.

Claim 11 (currently amended) The system of claim $\frac{10}{9}$, wherein the mass measuring station is a mass spectrometer.